

ORIGINAL

CITY COUNCIL MEETING  
Minutes March 16, 2021



After the pledge and invocation by Amy Hurst, Mayor Stinson called the Meeting to order.

Amy Hurst	Present	Joyce Carson	Present
Craig Owen	Present	Sebastian Ernst	Present
Darryl Ammerman	Present	Luke Price	Present

Also present: Attorney Brandon Voelker

Doug Buresh with KYMEA was present to update council on the rate status. Voting will take place next week and he believes rates will be frozen due to COVID and remain the same for next year. Mr. Buresh provided four different handouts containing information relating to KYMEA, rates, annual reports, etc. Mayor Stinson asked about "de-pancaking" and Mr. Buresh explained that process. Sebastian Ernst had a few questions regarding the rates, operating costs and similarities between Falmouth and other cities that utilize KYMEA.

**APPROVAL OF MINUTES – February 23, 2021 Special Mtg, March 2, 2021 Caucus Mtg.**

**MOTION:** Joyce Carson made a motion to approve the minutes. Seconded Amy Hurst.  
Motion carried 6-0-0.

**ORDINANCES/RESOLUTIONS**

**Ordinance 2021:1** 2<sup>nd</sup> Reading amending the local limits of discharge for the City of Falmouth.

**MOTION:** Sebastian Ernst made a motion to approve Ordinance 2021:1; seconded Luke Price. Motion carried 6-0-0.

**Ordinance 2021:2** 1<sup>st</sup> Reading amending the fire department ordinance.

**Resolution 03.16.21:1** Approving NKADD Hazard Mitigation Plan.

**MOTION:** Amy Hurst made a motion to approve Resolution 03.16.21:1. Seconded Joyce Carson.  
Motion carried 6-0-0.

**Resolution 03.16.21:2** To surplus the bucket truck.

**MOTION:** Darryl Ammerman made a motion to approve Resolution 03.16.21:2; seconded Sebastian Ernst. Motion carried 6-0-0.

**OLD BUSINESS**

Bridge Lights Update: Luke Price stated he has received one quote for the lights and is waiting on the second quote.

Street Light Update: Gary Lea has ordered and gotten some of the lights in. Installing them has not started due to some recent staffing issues in his department.

East Pendleton Water District Meeting Update: Mayor Stinson informed council that East Pendleton is waiting on a rate.

**MOTION:** Darryl Ammerman made a motion to propose a rate of \$6.50 to East Pendleton. Seconded Sebastian Ernst. Motion carried 6-0-0.

**NEW BUSINESS**

Amy Hurst announced that the current committee that is looking into the blighted properties will dissolve and merge with the nuisance committee, and Amy Hurst, Sebastian Ernst and Craig Owen will form the committee to review electric options.

**ANNOUNCEMENTS**


The Farmer's Market will be opening in May.

There is an antique tractor show June 4 – 5. Admission is free.

There will be a concert at the Griffin Center June 19.

**ADJOURNMENT**

**MOTION:** Luke Price made a motion to adjourn; seconded Craig Owen. Motion carried 6-0-0.

  
\_\_\_\_\_  
Ron Stinson, Mayor

  
\_\_\_\_\_  
Attest: City Clerk

COMMONWEALTH OF KENTUCKY  
COUNTY OF PENDLETON  
CITY OF FALMOUTH  
ORDINANCE NO. 2021-1

AN ORDINANCE AMENDING THE LOCAL LIMITS OF DISCHARGE  
FOR THE CITY OF FALMOUTH

Whereas, the City of Falmouth operates water and sewer utilities;

Whereas, the Kentucky Division of Water has performed an evaluation and advised the City of Falmouth of required local discharge limits.

NOW, THEREFORE BE IT ORDAINED BY THE CITY OF FALMOUTH,  
COUNTY OF PENDLETON, COMMONWEALTH OF KENTUCKY:

*(Strikethrough portions are to be deleted, underlined portions are to be added  
as required by KRS 83A.060(3))*

Section I

The City of Falmouth approves an amendment to the Code of Ordinances, Title V: Public Works, Chapter 54 Sewer Use Regulations, Section §54.022 Local Limits as follows:

§54.022 LOCAL LIMITS

(A) The following is authorized to establish local limits pursuant to 40 C.F.R. 403.5(c).

(B)

(1) The following pollutant limits are established to protect against pass through and interference. No person shall discharge wastewater containing in excess of the following daily maximum limits.

Arsenic	<del>1.06</del> <u>0.72</u> Mg/l
cadmium	<del>0.009</del> <u>0.01</u> Mg/l
chromium	1.71 Mg/l
copper	<del>0.46</del> <u>0.58</u> Mg/l
cyanide	<del>0.18</del> <u>0.06</u> Mg/l
lead	0.09 Mg/l
mercury	<del>0.001</del> <u>0.0002</u> Mg/l
nickel	<del>1.09</del> <u>1.10</u> Mg/l
selenium	<del>0.03</del> <u>0.001</u> Mg/l
silver	<del>0.24</del> <u>0.29</u> Mg/l
zinc	<del>2.07</del> <u>2.61</u> Mg/l
Chromium Hexavalent	<del>0.048</del> <u>0.46</u> Mg/l

ORIGINAL

<u>Chloride</u>	<u>1,200 Mg/l</u>
<u>Iron</u>	<u>82.50 Mg/l</u>

(2) The above limits apply at the point where the wastewater is discharged to the POTW. All concentrations for metallic substances are for total metal unless indicated otherwise. The WWS may impose mass limitations in addition to the concentration-based limitations above.

(C) Waters or wastes containing substances which are not amenable to treatment or reduction by the wastewater treatment processes employed or are amenable to treatment only to such degree that the wastewater treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.

(1) Any water or waste which has characteristics based on a 24- hour composite sample, or a shorter period composite sample if more representative which exceed the following normal maximum domestic wastewater parameter concentrations:

Parameter	Max. Daily Concentrations (mg/l)
BOD	1500 mg/l
TSS	500 mg/l
Oil/grease	100 mg/
Ammonia	40 mg/l

(D) The WWS may develop Best Management Practices (BMPs), by ordinance or in individual wastewater discharge permits, to implement local limits and the requirements of § 54.015.

## Section II

That any section, or part of any section, or any provision of this Ordinance which is declared invalid by a Court of appropriate jurisdiction, for any reason, such declaration shall not invalidate, or adversely affect, the remainder of this Ordinance.

## Section III

This Ordinance shall take effect and be in full force when passed, published, and recorded according to law.


1<sup>st</sup> Reading - Feb 23, 2021.

2<sup>nd</sup> Reading - Mar 16, 2021.


Vote: 6, Yes, 0, No

ORIGINAL

City of Falmouth  
Pendleton County, Kentucky

By:   
Ron Stinson  
Mayor

Attest:

  
Clerk

AN ORDINANCE AMENDING THE LOCAL LIMITS OF DISCHARGE FOR THE CITY OF FALMOUTH

Whereas, the City of Falmouth operates water and sewer utilities;

Whereas, the Kentucky Division of Water has performed an evaluation and advised the City of Falmouth of required local discharge limits.

NOW, THEREFORE BE IT ORDAINED BY THE CITY OF FALMOUTH, COUNTY OF PENDLETON, COMMONWEALTH OF KENTUCKY:

(Strikethrough portions are to be deleted, underlined portions are to be added as required by KRS 83A.060(3))

Section 1

The City of Falmouth approves an amendment to the Code of Ordinances, Title V: Public Works, Chapter 54 Sewer Use Regulations, Section §54.022 Local Limits as follows:

§54.022 LOCAL LIMITS

(A) The following is authorized to establish local limits pursuant to 40 C.F.R. 403.5(c).

(B)

(1) The following pollutant limits are established to protect against pass through and interference. No person shall discharge wastewater containing in excess of the following daily maximum limits.

Arsenic	1.06 <u>0.72</u> Mg/l
cadmium	<u>0.009</u> 0.01 Mg/l
chromium	1.71 Mg/l
copper	0.46 <u>0.58</u> Mg/l
cyanide	<u>0.18</u> 0.06 Mg/l
lead	0.09 Mg/l
mercury	<u>0.001</u> 0.0002 Mg/l
nickel	<u>1.09</u> 1.10 Mg/l
selenium	0.03 <u>0.001</u> Mg/l
silver	0.24 <u>0.29</u> Mg/l
zinc	2.07 <u>2.61</u> Mg/l
Chromium Hexavalent	<u>0.048</u> 0.46 Mg/l
<u>Chloride</u>	<u>1.200</u> Mg/l
<u>Iron</u>	<u>82.50</u> Mg/l

(2) The above limits apply at the point where the wastewater is discharged to the POTW. All concentrations for metallic substances are for total metal unless indicated otherwise. The WWS may impose mass limitations in addition to the concentration-based limitations above.

(C) Waters or wastes containing substances which are not amenable to treatment or reduction by the wastewater treatment processes employed or are amenable to treatment only to such degree that the wastewater treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.

(1) Any water or waste which has characteristics based on a 24-hour composite sample, or a shorter period composite sample if more representative which exceed the following normal maximum domestic wastewater parameter concentrations:

Parameter	Max. Daily Concentrations (mg/l)
BOD	1500 mg/l
TSS	500 mg/l
Oil/grease	100 mg/l
Ammonia	40 mg/l

(D) The WWS may develop Best Management Practices (BMPs), by ordinance or in individual wastewater discharge permits, to implement local limits and the requirements of § 54.015.

Falmouth  
Outlook  
3-23-21

Wright.  
SEC was represe  
in the champion cl  
with Robin M  
choosing LSU and  
Ann Heilman  
Tommy Milner g  
with the three-p  
bombers from Alaba  
The bluebloods  
college basketball m  
did not even make  
tournament but Ka  
is one team that  
Christina Miller is g  
with the tradition of  
second most winnin  
program in mens c  
giate basketball his  
to take it all.  
It is solace to UK


4-H EGG

continued from page 1  
implementing this  
program this year. H  
amazing is that! M  
Ellen stated "for the  
bit and poultry club,  
simple, even kids in te  
can participate by hav  
a rabbit or poultry  
their possession". M  
Ellen went on to say  
wasnt for the 4H age  
Shelley Meyer;

STATE

continued from page 6  
Bill 320 would exp  
broadband internet  
vice to underserved ar  
with \$250 million for  
broadband deploym  
fund. The bill would a  
reduce for barriers  
electric cooperatives  
offer the service.

Vaccinations. Sen  
Bill 8 states that any chi  
emancipated minor,  
adult would not be st  
ject to mandatory vac



(2) The above limits apply at the point where the wastewater is discharged to the POTW. All concentrations for metallic substances are for total metal unless indicated otherwise. The WWS may impose mass limitations in addition to the concentration-based limitations above.

(C) Waters or wastes containing substances which are not amenable to treatment or reduction by the wastewater treatment processes employed or are amenable to treatment only to such degree that the wastewater treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.

(1) Any water or waste which has characteristics based on a 24-hour composite sample, or a shorter period composite sample if more representative which exceed the following normal maximum domestic wastewater parameter concentrations:

Parameter	Max. Daily Concentrations (mg/l)
BOD	1500 mg/l
TSS	500 mg/l
Oil/grease	100 mg/l
Ammonia	40 mg/l

(D) The WWS may develop Best Management Practices (BMPs), by ordinance or in individual wastewater discharge permits, to implement local limits and the requirements of § 54.015.

Section II

That any section, or part of any section, or any provision of this Ordinance which is declared invalid by a Court of appropriate jurisdiction, for any reason, such declaration shall not invalidate, or adversely affect, the remainder of this Ordinance.

Section III

This Ordinance shall take effect and be in full force when passed, published, and recorded according to law.

1<sup>st</sup> Reading - Feb 23, 2021

2<sup>nd</sup> Reading - Mar 16, 2021 Vote: 6 Yes, 0 No

Attest:

City of Falmouth  
Pendleton County, Kentucky

*Ramona Williams*  
Clerk

*Ron Stinson*  
Ron Stinson  
Mayor

broadba  
fund. Th  
reduce  
electric  
offer the  
Vaccin  
Bill 8 stat  
emancipa  
adult wo  
ject to ir

WV  
M  
lo

is an

SUB

up we are not sure what's going to happen.  
Gillespie did respond to a ques-  
tion about why the juvenile ser-  
vices line item dropped from  
\$8,000 to \$500.  
"There is now not a truancy  
charge from the schools for not  
going to school. They were being  
arrested beforehand," he explained  
on why there has been a marked  
drop in juvenile charges.  
Fields proposed to the court  
that they consider a 2% CPI for all  
county employees.  
There was also a brief discus-  
sion on the International Building

Approximately \$30,000 was  
returned to the court via the close-  
outs but with the agreement that  
the court would purchase new  
computers for the vehicles of the  
sheriff's office.  
"We cannot just give them the  
money but we can buy it for  
them," explained Fields.  
Hart explained that the laptops  
would allow the officer to commu-  
nicate with dispatch through the  
CAD system. He explained that  
the state is doing away with the  
paper citation and with each vehi-

what was the  
costs associated with getting  
something," she  
"eventually years is  
thing."  
David Fields  
e down to just  
the county but  
at in their case  
r railroad tracks is  
to go under the  
not be possible,  
to explain that  
as a sum of funds  
istrict and some

ORIGINAL

CITY OF FALMOUTH  
PENDLETON COUNTY, KENTUCKY  
RESOLUTION NUMBER: 03.16.21-1

**A RESOLUTION OF THE CITY OF FALMOUTH AUTHORIZING RON STINSON, MAYOR, TO EXECUTE A MEMORANDUM OF AGREEMENT FOR THE DEVELOPMENT OF THE REGIONAL HAZARD MITIGATION PLAN THROUGH FEMA.**

**WHEREAS;** certain areas of the City of Falmouth, Kentucky are subject to periodic natural hazards, such as flooding, landslides, tornadoes, thunderstorms, and winter storms that have potential to cause damages to people and properties withing the area; and


**WHEREAS;** the city of Falmouth, desires to prepare and mitigate for such natural hazards, and


**WHEREAS;** the city of Falmouth, or its designated representative, will participate in the Hazard Mitigation Planning process:

**NOW, THEREFORE, BE IT RESOLVED,** that the city of Falmouth City Council hereby:

1. Agrees to cooperate in a working relationship between all Participating Jurisdictions in the development and implementation of the NKADD Regional Hazard Mitigation Plan, in accordance with Title 44 of the Federal Code of Regulations (CFR) Part 201.6.
2. Accepts the Memorandum of Agreement and attached Work Program, Tasks, and finished Products as a commitment to the Regional Hazard Mitigation Planning Process.
3. Agrees to formally adopt the NKADD Regional Hazard Mitigation Plan after a thorough planning process and the final approval of the Regional Hazard Mitigation Oversight Committee, consisting of County Judge Executives and Emergency Management Directors.

Adopted on: Mar 16, 2021

  
\_\_\_\_\_  
Ron Stinson, Mayor  
City of Falmouth

  
\_\_\_\_\_  
Attest: Ramona Williams, City Clerk



**RESOLUTION NO. 3.16.21:2**  
**CITY OF FALMOUTH, PENDLTON COUNTY, KENTUCKY**

**A RESOLUTION SURPLUSING A BUCKET TRUCK**

**Whereas**, certain property is no longer needed by the City of Public Works Department.

**NOW, THEREFORE, BE IT RESOLVED BY THE CITY OF FALMOUTH, COUNTY OF PENDLETON, COMMONWEALTH OF KENTUCKY, THAT:**


That the following property is hereby declared surplus and to be sold in a commercially reasonable manner:


**PUBLIC WORKS**

1. Bucket Truck

This the 16th day of March 2021.

**CITY OF FALMOUTH**

BY:   
Ron Stinson  
Mayor

ATTEST:   
Ramona Williams, Clerk